

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(369/47.14and369/53.15).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L2	0	(369/47.14and369/53.32).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L3	124	(369/47.14).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L4	169	(369/53.15).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L5	2060	reference adj (signal or point) near (gain or amp\$9)	USPAT	OR	OFF	2005/06/15 15:03
L6	215821	((optical or record\$3 or compact) near2 (disc or disk or medium)) or (cd or cdrom or dvd))	USPAT	OR	OFF	2005/06/15 15:03
L7	213	L5 and L6	USPAT	OR	OFF	2005/06/15 15:03
L8	121	((mirror adj detectioin) or (defect detection)) adj signal adj generator	USPAT	OR	OFF	2005/06/15 15:03
L9	0	L7 and L8	USPAT	OR	OFF	2005/06/15 15:03
L10	121	((mirror adj detectioin) or (defect detection)) adj signal adj generator	USPAT	OR	OFF	2005/06/15 15:03
L11	28	(hold\$3 or sampl\$3) near3 (peak or top or bottom or envelop\$3) and L7	USPAT	OR	OFF	2005/06/15 15:03
L12	5	(hold\$3 or sampl\$3) near3 (peak or top or bottom or envelop\$3) and L8	USPAT	OR	OFF	2005/06/15 15:03
L13	1	("6288988").PN.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L14	4	("5592448" "5636196" "5703852" "5724325").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/15 15:03
L15	3	("6288988").URPN.	USPAT	OR	OFF	2005/06/15 15:03
L16	121	((mirror adj detectioin) or (defect detection)) adj signal adj generator	USPAT	OR	OFF	2005/06/15 15:03
L17	0	reference adj (signal or point) near (gain or amp\$9) and L16	USPAT	OR	OFF	2005/06/15 15:03
L18	0	"gain control amp\$9"	USPAT	OR	OFF	2005/06/15 15:03
L19	2000	"gain control amplifier"	USPAT	OR	OFF	2005/06/15 15:03
L20	0	L16 and L19	USPAT	OR	OFF	2005/06/15 15:03
L21	103	(369/59.17).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L22	102	(369/124.15).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 15:03
L23	124	L21 and31	USPAT	OR	OFF	2005/06/15 15:03
L24	26	L21 and L22	USPAT	OR	OFF	2005/06/15 15:03

L25	41581	((optical or record\$3 or compact) near2 (disc or disk or medium)) or cd or cdrom or dvd) near5 (type\$2 or kind\$2)	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L26	38291	((reference or compar\$4) near2 signal\$1) near10 (amp\$9 or gain or attenuat\$5)	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L27	836	L25 and L26	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L28	22	L25 same L26	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L29	37459	(reference or compar\$4) near2 (signal or point) near2 generat\$4	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L30	228	(amp\$9 or gain or attenuat\$5) near2 rate near6 (record\$3 or medium or disk or disc)	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L31	0	L29 same L30	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L32	9	L30 and L29	US-PGPUB; USPAT	OR	OFF	2005/06/15 15:03
L33	616	((amplif\$3) near2 divid\$3 near2 voltage near amp\$8)	USPAT	OR	OFF	2005/06/15 15:03
L34	0	L25 same L33	USPAT	OR	OFF	2005/06/15 15:03
L35	0	L25 and L33	USPAT	OR	OFF	2005/06/15 15:03
L36	0	L26 same L34	USPAT	OR	OFF	2005/06/15 15:03
L37	23	L26 same L33	USPAT	OR	OFF	2005/06/15 15:03
L38	133	L26 and L33	USPAT	OR	OFF	2005/06/15 15:03
L39	616	((amplif\$3) near2 divid\$3 near2 voltage near amp\$8)	USPAT	OR	OFF	2005/06/15 15:03
L40	0	"gain control amplifier" near "offset circuit"	USPAT	OR	OFF	2005/06/15 15:03
L41	0	"gain control amp\$9" near "offset"	USPAT	OR	OFF	2005/06/15 15:03
L42	55	(offset adj circuit) near (gain or amp\$8 or attentuat\$3)	USPAT	OR	OFF	2005/06/15 15:03
L43	0	((amplif\$3) near2 (voltage adj divid\$3) near (amp\$8 adj rate))	USPAT	OR	OFF	2005/06/15 15:03
L44	1468	((amplif\$3) near2 (voltage adj divid\$3))	USPAT	OR	OFF	2005/06/15 15:03
L45	0	L25 same L37	USPAT	OR	OFF	2005/06/15 15:03
L46	756342	(gain or amp\$9)	USPAT	OR	OFF	2005/06/15 15:03
L47	215821	((optical or record\$3 or compact) near2 (disc or disk or medium)) or (cd or cdrom or dvd))	USPAT	OR	OFF	2005/06/15 15:03
L48	19336	L47 same L46	USPAT	OR	OFF	2005/06/15 15:03

L49	75170	(hold\$3 or sampl\$3) near3 (peak or top or bottom or envelop\$3)	USPAT	OR	OFF	2005/06/15 15:03
L50	922	L48 and L49	USPAT	OR	OFF	2005/06/15 15:03
L51	125	L48 same L49	USPAT	OR	OFF	2005/06/15 15:03
L52	1	("6288988").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/15 17:05
L53	90308	(peak or top or bottom) near2 (circuit or element or component)	US-PGPUB; USPAT	OR	ON	2005/06/15 15:51
L54	13102	(envelope near2 (signal or circuit))	US-PGPUB; USPAT	OR	ON	2005/06/15 15:52
L55	169	(mirror near2 detect\$4) same (reference near2 (data or point or signal or information))	US-PGPUB; USPAT	OR	ON	2005/06/15 16:01
L56	13	53 with ((droop or attenuation) near2 rate)	US-PGPUB; USPAT	OR	ON	2005/06/15 15:57
L57	28	53 same ((droop or attenuation) near2 rate)	US-PGPUB; USPAT	OR	ON	2005/06/15 15:57
L58	15	57 not 56	US-PGPUB; USPAT	OR	ON	2005/06/15 15:58
L59	13	((plural\$3 or multi\$3 or many) near3 53) and 54	US-PGPUB; USPAT	OR	ON	2005/06/15 15:59
L60	29	(mirror near2 detect\$4) same 53	US-PGPUB; USPAT	OR	ON	2005/06/15 16:01
L61	434	(369/53.22).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/15 17:05
L62	24	53 and 61	US-PGPUB; USPAT	OR	ON	2005/06/15 17:05